5 SEM TDC PHYH (CBCS) C 11

2024

(November)

PHYSICS

(Core)

Paper: C-11

(Quantum Mechanics and Applications)

Full Marks: 53
Pass Marks: 21

Time: 3 hours

The figures in the margin indicate full marks for the questions

- 1. Choose the correct answer from the following: 1×5=5
 - (a) The de Broglie waves are
 - (i) electromagnetic waves
 - (ii) matter waves
 - (iii) mechanical waves
 - (iv) standing waves

- The solution of Schrodinger equation in three dimensions is expressed as
 - (i) $\psi(\vec{r}, t) = \psi(\vec{r})e^{-iEt}$
 - (ii) $\psi(\vec{r}, t) = \psi(\vec{r})e^{-\frac{iE}{\hbar}t}$
 - (iii) $\psi(\vec{r}, t) = \psi(\vec{r})e^{\frac{iE}{\hbar}t}$
 - (iv) $\psi(\vec{r}, t) = \psi(\vec{r})e^{-\frac{iE}{\hbar}k}$
- The energy of a one-dimensional harmonic oscillator in second excited state is

 - (i) $\frac{1}{2}\hbar\omega$ (ii) $\frac{3}{2}\hbar\omega$
 - (iii) $\frac{5}{2}\hbar\omega$ (iv) zero
- The angular momentum for an electron in the d-state of the hydrogen atom is

 - (i) 0 (ii) $\sqrt{2}\hbar$

 - (iii) \(\int 6\htarrow \) (iv) \(\sqrt{10}\htarrow \)
- The values of orbital and gyromagnetic ratios for electron are
 - (i) $g_1 = 0$ and $g_s = 2$
 - (ii) $g_l = 1$ and $g_s = 2$
 - (iii) $g_1 = 1$ and $g_s = 1$
 - (iv) $g_1 = 2$ and $g_s = 1$

- 2. Answer the following questions: $2 \times 5 = 10$
 - Obtain the commutator relation for position and momentum operator.
 - Show that probability density a quantum mechanical particle is independent of time.
 - How are the zero point energy and uncertainty principle related to each other?
 - Define and write down the expression for Larmor frequency.
 - Briefly discuss the spectra of alkali atoms.
- 3. (a) Find the expectation value of a particle momentum whose normalized wave function is

$$\psi(x) = \frac{1}{\sqrt{2a}} e^{i(kx - \omega t)}$$

in the interval (-a, a).

and

3

3

3

- Distinguish between normal anomalous Zeeman effect.
- Briefly discuss the coupling of orbital and spin angular momenta in the vector model of atom.
- Show that the number of final levels is the same for L-S and J-J coupling for an electron in 4p4d configuration.

 (b) Obtain an expression for the wave function of a Gaussian wave packet.
 Briefly explain the spread of a Gaussian wave packet.

OT

Show that momentum space wave function is Fourier transform of the position space wave function.

6

6

(c) Obtain an expression for the energy of a simple harmonic oscillator using Frobenius method.

Or

Obtain the energy eigenvalues for a particle confined in a one-dimensional square well potential.

(d) Obtain the Schrodinger equation in spherical polar coordinates from the corresponding equation in Cartesian coordinates.

7

4

Or

Obtain three independent differential equations from the Schrodinger equation in each of the spherical polar coordinates for the electron of the hydrogen atom.

- 5. Write short note on any one of the following:
 - (a) Stern-Gerlach experiment
 - (b) Space quantization

* * *