3 SEM TDC ECOH (CBCS) C 7

2020

(Held in April-May, 2021)

ECONOMICS

(Core)

Paper: C-7

(Statistical Methods for Economics)

Full Marks: 80
Pass Marks: 32

Time: 3 hours

The figures in the margin indicate full marks for the questions

- **1.** Answer as directed of the following: $1 \times 8 = 8$
 - (a) Mention one limitation of median.
 - (b) Mention one disadvantage of census method.

(c) In normal distribution, kurtosis is

- (i) leptokurtic
- (ii) platykurtic
- (iii) mesokurtic
- (iv) infinite

(Choose the correct option)

- (d) Mention one use of geometric mean.
- (e) Determine the range from the following distribution:

x : 30 35 40 45 50

f : 15 11 4 6 2

- (f) The probability of getting at least one head, when two coins are tossed is
 - (i) $\frac{1}{4}$
 - (ii) $\frac{1}{2}$
 - (iii) $\frac{3}{2}$
 - (iv) None of the above (Choose the correct option)

16-21/439

(Turn Over)

16-21**/439**

(Continued)

(4)

- (g) Which of the following can measure any type of relationship?
 - (i) Scatter diagram method
 - (ii) Karl Pearson's coefficient of correlation method
 - (iii) Spearman's rank correlation method
 - (iv) All of the above

 (Choose the correct option)
- (h) Out of all measures of dispersion, the easiest one is
 - (i) standard deviation
 - (ii) range
 - (iii) quartile deviation
 - (iv) variance

(Choose the correct option)

- **2.** Write short notes on any *four* of the following: $4\times4=16$
 - (a) Range
 - (b) Sampling
 - (c) Testing of hypothesis
 - (d) Skewness
 - (e) Correlation and regression
- **3.** (a) Define median and mode. Explain how these two measures are calculated in case of grouped and ungrouped data.

 4+7=11

Or

(b) Calculate the arithmetic mean and median from the following data: 5+6=11

Marks obtained in	No. of Students		
Exam.			
10–20	1		
20-30	2		
30–40	3		
40–50	5		
50–60	7		
60–70	12		
70–80	16		
80–90	10		
90–100	4		

4.	(a)	(i)	Explain with examples the addition			
			theorem	and	multiplication	
			theorem o	of probability.		

8

6

6

(ii) Define mathematical expectation with suitable example.

Or

- (b) (i) Show that the probability of drawing a king or a queen in a single draw of a well-shuffled pack of card is $\frac{3}{13}$.
 - (ii) What is the probability of getting a sum of either 11 or greater than 7 by throwing two dice?

5. (a) Distinguish between Binomial distribution and Poisson distribution.

What are the principal properties of those distributions?

5+6=11

Or

- (b) Four coins are tossed simultaneously. What is the probability of getting—
 - (i) 2 heads;
 - (ii) at least 2 heads;
 - (iii) at least one head?

11

6. (a) Distinguish between sampling and census. What are the principal steps undertaken in a sample survey?

5+6=11

Or

(b) A die was thrown 90 times with the following results:

Frequency: 10 12 3 4 5 6 Total Frequency: 10 12 16 14 18 20 90

Are these data consistent with the hypothesis that the die is uniform?

(Given, $\chi^2_{0.05} = 11.07$ for 5 degrees of freedom)

11

(7)

7. (a) Define 'rank correlation'. Write down Spearman's formula for rank correlation coefficient ρ . What are the limits of ρ ? 5+4+2=11

Or

(b) Find the coefficient of correlation from the following data: 11

x : 39 65 62 90 82 75 25 98 36 78 y : 47 53 58 86 62 68 60 91 51 84
